

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	2		2
		% within Sex	13.3%		9.5%
	30-39	Count	8	3	11
		% within Sex	53.3%	50.0%	52.4%
	40-49	Count	5	2	7
		% within Sex	33.3%	33.3%	33.3%
	50-59	Count		1	1
		% within Sex		16.7%	4.8%
Total		Count	15	6	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11	2	13
		% within Sex	73.3%	33.3%	61.9%
	African American	Count	3	3	6
		% within Sex	20.0%	50.0%	28.6%
	Hispanic	Count	1	1	2
		% within Sex	6.7%	16.7%	9.5%
Total	Count	15	6	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6		6
		% within Sex	40.0%		28.6%
	IDU	Count	4	1	5
		% within Sex	26.7%	16.7%	23.8%
	M-M & IDU	Count	1		1
		% within Sex	6.7%		4.8%
	Heterosexual Contact	Count	2	2	4
		% within Sex	13.3%	33.3%	19.0%
	Not Classified	Count	2	3	5
		% within Sex	13.3%	50.0%	23.8%
Total	Count	15	6	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	61.9%	61.9%
	African American	Count	6	6
		% within Adult-Ped	28.6%	28.6%
	Hispanic	Count	2	2
		% within Adult-Ped	9.5%	9.5%
Total	Count	21	21	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Abilene

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	15	15
		% within Adult-Ped	71.4%	71.4%
	Female	Count	6	6
		% within Adult-Ped	28.6%	28.6%
Total		Count	21	21
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Abilene

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		7.1%	3.0%
	13-19	Count		3	3
		% within Sex		21.4%	9.1%
	20-24	Count	3		3
		% within Sex	15.8%		9.1%
	25-29	Count	5	2	7
		% within Sex	26.3%	14.3%	21.2%
	30-39	Count	6	5	11
		% within Sex	31.6%	35.7%	33.3%
	40-49	Count	3	3	6
		% within Sex	15.8%	21.4%	18.2%
	50-59	Count	2		2
		% within Sex	10.5%		6.1%
Total	Count	19	14	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	16	7	23
		% within Sex	84.2%	50.0%	69.7%
	African American	Count	2	6	8
		% within Sex	10.5%	42.9%	24.2%
	Hispanic	Count	1	1	2
		% within Sex	5.3%	7.1%	6.1%
Total	Count	19	14	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	11		11
		% within Sex	57.9%		33.3%
	IDU	Count	3	3	6
		% within Sex	15.8%	21.4%	18.2%
	M-M & IDU	Count	2		2
		% within Sex	10.5%		6.1%
	Heterosexual Contact	Count	1	6	7
		% within Sex	5.3%	42.9%	21.2%
	Transfusion	Count		1	1
		% within Sex		7.1%	3.0%
Not Classified	Count	2	3	5	
	% within Sex	10.5%	21.4%	15.2%	
Ped Parent at Risk	Count		1	1	
	% within Sex		7.1%	3.0%	
Total		Count	19	14	33
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	22	23
		% within Adult-Ped	100.0%	68.8%	69.7%
	African American	Count		8	8
		% within Adult-Ped		25.0%	24.2%
	Hispanic	Count		2	2
		% within Adult-Ped		6.3%	6.1%
Total	Count	1	32	33	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		19	19
		% within Adult-Ped		59.4%	57.6%
	Female	Count	1	13	14
		% within Adult-Ped	100.0%	40.6%	42.4%
Total		Count	1	32	33
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	2.4%	4.0%	3.0%
	5-12	Count	1		1
		% within Sex	2.4%		1.5%
	13-19	Count		3	3
		% within Sex		12.0%	4.5%
	20-24	Count	3	2	5
		% within Sex	7.3%	8.0%	7.6%
	25-29	Count	8	4	12
		% within Sex	19.5%	16.0%	18.2%
	30-39	Count	16	8	24
		% within Sex	39.0%	32.0%	36.4%
	40-49	Count	10	5	15
		% within Sex	24.4%	20.0%	22.7%
	50-59	Count	2	2	4
		% within Sex	4.9%	8.0%	6.1%
	Total		41	25	66
			100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	32	13	45
		% within Sex	78.0%	52.0%	68.2%
	African American	Count	6	10	16
		% within Sex	14.6%	40.0%	24.2%
	Hispanic	Count	3	2	5
		% within Sex	7.3%	8.0%	7.6%
Total	Count	41	25	66	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	22		22
		% within Sex	53.7%		33.3%
	IDU	Count	7	5	12
		% within Sex	17.1%	20.0%	18.2%
	M-M & IDU	Count	3		3
		% within Sex	7.3%		4.5%
	Heterosexual Contact	Count	3	10	13
		% within Sex	7.3%	40.0%	19.7%
	Transfusion	Count		1	1
		% within Sex		4.0%	1.5%
	Not Classified	Count	4	8	12
		% within Sex	9.8%	32.0%	18.2%
	Ped Hemophiliac	Count	1		1
		% within Sex	2.4%		1.5%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	2.4%	4.0%	3.0%
Total	Count	41	25	66	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	43	45
		% within Adult-Ped	66.7%	68.3%	68.2%
	African American	Count		16	16
		% within Adult-Ped		25.4%	24.2%
	Hispanic	Count	1	4	5
		% within Adult-Ped	33.3%	6.3%	7.6%
Total	Count	3	63	66	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	39	41
		% within Adult-Ped	66.7%	61.9%	62.1%
	Female	Count	1	24	25
		% within Adult-Ped	33.3%	38.1%	37.9%
Total		Count	3	63	66
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	2.4%	4.0%	3.0%
	5-12	Count	1		1
		% within Sex	2.4%		1.5%
	13-19	Count		3	3
		% within Sex		12.0%	4.5%
	20-24	Count	3	2	5
		% within Sex	7.3%	8.0%	7.6%
	25-29	Count	8	4	12
		% within Sex	19.5%	16.0%	18.2%
	30-39	Count	16	8	24
		% within Sex	39.0%	32.0%	36.4%
	40-49	Count	10	5	15
		% within Sex	24.4%	20.0%	22.7%
	50-59	Count	2	2	4
		% within Sex	4.9%	8.0%	6.1%
	Total	Count	41	25	66
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count		1	1
		% within Sex		4.0%	1.5%
	5-12	Count	1		1
		% within Sex	2.4%		1.5%
	13-19	Count		1	1
		% within Sex		4.0%	1.5%
	20-24	Count	1	2	3
		% within Sex	2.4%	8.0%	4.5%
	25-29	Count	4	5	9
		% within Sex	9.8%	20.0%	13.6%
	30-39	Count	15	5	20
		% within Sex	36.6%	20.0%	30.3%
	40-49	Count	12	9	21
		% within Sex	29.3%	36.0%	31.8%
	50-59	Count	8	2	10
		% within Sex	19.5%	8.0%	15.2%
	Total	Count	41	25	66
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	32	13	45
		% within Sex	78.0%	52.0%	68.2%
	African American	Count	6	10	16
		% within Sex	14.6%	40.0%	24.2%
	Hispanic	Count	3	2	5
		% within Sex	7.3%	8.0%	7.6%
	Total	Count	41	25	66
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	22		22
		% within Sex	53.7%		33.3%
	IDU	Count	7	5	12
		% within Sex	17.1%	20.0%	18.2%
	M-M & IDU	Count	3		3
		% within Sex	7.3%		4.5%
	Heterosexual Contact	Count	3	10	13
		% within Sex	7.3%	40.0%	19.7%
	Transfusion	Count		1	1
		% within Sex		4.0%	1.5%
Not Classified	Count	4	8	12	
	% within Sex	9.8%	32.0%	18.2%	
Ped Hemophiliac	Count	1		1	
	% within Sex	2.4%		1.5%	
Ped Parent at Risk	Count	1	1	2	
	% within Sex	2.4%	4.0%	3.0%	
Total		Count	41	25	66
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	43	45
		% within Adult-Ped	66.7%	68.3%	68.2%
	African American	Count		16	16
		% within Adult-Ped		25.4%	24.2%
	Hispanic	Count	1	4	5
		% within Adult-Ped	33.3%	6.3%	7.6%
Total	Count	3	63	66	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	39	41
		% within Adult-Ped	66.7%	61.9%	62.1%
	Female	Count	1	24	25
		% within Adult-Ped	33.3%	38.1%	37.9%
Total		Count	3	63	66
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	10.0%		9.1%
	25-29	Count	1		1
		% within Sex	10.0%		9.1%
	30-39	Count	4		4
		% within Sex	40.0%		36.4%
	40-49	Count	2	1	3
		% within Sex	20.0%	100.0%	27.3%
	50-59	Count	2		2
		% within Sex	20.0%		18.2%
Total		Count	10	1	11
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5		5
		% within Sex	50.0%		45.5%
	African American	Count	4		4
		% within Sex	40.0%		36.4%
	Hispanic	Count	1	1	2
		% within Sex	10.0%	100.0%	18.2%
	Total		Count	10	1
			% within Sex	100.0%	100.0%

a. HSDA = Abilene

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	40.0%		36.4%
	IDU	Count	2		2
		% within Sex	20.0%		18.2%
	M-M & IDU	Count	2		2
		% within Sex	20.0%		18.2%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	9.1%
	Not Classified	Count	2		2
		% within Sex	20.0%		18.2%
Total	Count	10	1	11	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	5
		% within Adult-Ped	45.5%	45.5%
	African American	Count	4	4
		% within Adult-Ped	36.4%	36.4%
	Hispanic	Count	2	2
		% within Adult-Ped	18.2%	18.2%
Total	Count	11	11	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Abilene

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	10	10
		% within Adult-Ped	90.9%	90.9%
	Female	Count	1	1
		% within Adult-Ped	9.1%	9.1%
Total		Count	11	11
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Abilene

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	2-4	Count		1	1
		% within Sex		50.0%	8.3%
	25-29	Count	2		2
		% within Sex	20.0%		16.7%
	30-39	Count	7	1	8
		% within Sex	70.0%	50.0%	66.7%
	40-49	Count	1		1
		% within Sex	10.0%		8.3%
Total		Count	10	2	12
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	2	9
		% within Sex	70.0%	100.0%	75.0%
	African American	Count	2		2
		% within Sex	20.0%		16.7%
	Hispanic	Count	1		1
		% within Sex	10.0%		8.3%
Total	Count	10	2	12	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	40.0%		33.3%
	IDU	Count	2	1	3
		% within Sex	20.0%	50.0%	25.0%
	M-M & IDU	Count	1		1
		% within Sex	10.0%		8.3%
	Not Classified	Count	3		3
		% within Sex	30.0%		25.0%
	Ped Parent at Risk	Count		1	1
		% within Sex		50.0%	8.3%
Total	Count	10	2	12	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	8	9
		% within Adult-Ped	100.0%	72.7%	75.0%
	African American	Count		2	2
		% within Adult-Ped		18.2%	16.7%
	Hispanic	Count		1	1
		% within Adult-Ped		9.1%	8.3%
Total	Count	1	11	12	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count		10	10
		% within Adult-Ped		90.9%	83.3%
	Female	Count	1	1	2
		% within Adult-Ped	100.0%	9.1%	16.7%
Total		Count	1	11	12
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.5%	3.4%	.8%
	2-4	Count		1	1
		% within Sex		3.4%	.4%
	5-12	Count		1	1
		% within Sex		3.4%	.4%
	13-19	Count	2		2
		% within Sex	.9%		.8%
	20-24	Count	9		9
		% within Sex	4.1%		3.6%
	25-29	Count	49	2	51
		% within Sex	22.2%	6.9%	20.4%
	30-39	Count	100	10	110
		% within Sex	45.2%	34.5%	44.0%
	40-49	Count	46	3	49
		% within Sex	20.8%	10.3%	19.6%
	50-59	Count	8	4	12
		% within Sex	3.6%	13.8%	4.8%
	60-69	Count	3	5	8
		% within Sex	1.4%	17.2%	3.2%
	70+	Count	3	2	5
		% within Sex	1.4%	6.9%	2.0%
Total		Count	221	29	250
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	158	18	176
		% within Sex	71.5%	62.1%	70.4%
	African American	Count	33	5	38
		% within Sex	14.9%	17.2%	15.2%
	Hispanic	Count	29	6	35
		% within Sex	13.1%	20.7%	14.0%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.5%		.4%
Total		Count	221	29	250
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	127		127
		% within Sex	57.5%		50.8%
	IDU	Count	28	9	37
		% within Sex	12.7%	31.0%	14.8%
	M-M & IDU	Count	32		32
		% within Sex	14.5%		12.8%
	Hemophiliac	Count	3		3
		% within Sex	1.4%		1.2%
	Heterosexual Contact	Count	5	7	12
		% within Sex	2.3%	24.1%	4.8%
	Transfusion	Count	8	7	15
		% within Sex	3.6%	24.1%	6.0%
	Not Classified	Count	17	3	20
		% within Sex	7.7%	10.3%	8.0%
	Ped Parent at Risk	Count	1	2	3
		% within Sex	.5%	6.9%	1.2%
	Ped Other-Undet	Count		1	1
		% within Sex		3.4%	.4%
Total		Count	221	29	250
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	174	176
		% within Adult-Ped	50.0%	70.7%	70.4%
	African American	Count	1	37	38
		% within Adult-Ped	25.0%	15.0%	15.2%
	Hispanic	Count	1	34	35
		% within Adult-Ped	25.0%	13.8%	14.0%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.4%	.4%
Total		Count	4	246	250
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	220	221
		% within Adult-Ped	25.0%	89.4%	88.4%
	Female	Count	3	26	29
		% within Adult-Ped	75.0%	10.6%	11.6%
Total		Count	4	246	250
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	1.0%		.9%
	2-4	Count		1	1
		% within Sex		7.7%	.9%
	5-12	Count		1	1
		% within Sex		7.7%	.9%
	20-24	Count	4		4
		% within Sex	4.0%		3.5%
	25-29	Count	19	2	21
		% within Sex	19.0%	15.4%	18.6%
	30-39	Count	47	5	52
		% within Sex	47.0%	38.5%	46.0%
	40-49	Count	23	3	26
		% within Sex	23.0%	23.1%	23.0%
	50-59	Count	6	1	7
		% within Sex	6.0%	7.7%	6.2%
Total		Count	100	13	113
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	1	2
		% within Sex	1.0%	7.7%	1.8%
	13-19	Count		1	1
		% within Sex		7.7%	.9%
	25-29	Count	3	1	4
		% within Sex	3.0%	7.7%	3.5%
	30-39	Count	40	1	41
		% within Sex	40.0%	7.7%	36.3%
	40-49	Count	41	6	47
		% within Sex	41.0%	46.2%	41.6%
	50-59	Count	14	2	16
		% within Sex	14.0%	15.4%	14.2%
	60-69	Count	1	1	2
		% within Sex	1.0%	7.7%	1.8%
Total		Count	100	13	113
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	67	6	73
		% within Sex	67.0%	46.2%	64.6%
	African American	Count	18	4	22
		% within Sex	18.0%	30.8%	19.5%
	Hispanic	Count	15	3	18
		% within Sex	15.0%	23.1%	15.9%
Total	Count	100	13	113	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	57		57
		% within Sex	57.0%		50.4%
	IDU	Count	17	6	23
		% within Sex	17.0%	46.2%	20.4%
	M-M & IDU	Count	14		14
		% within Sex	14.0%		12.4%
	Heterosexual Contact	Count	2	4	6
		% within Sex	2.0%	30.8%	5.3%
	Transfusion	Count	1		1
		% within Sex	1.0%		.9%
	Not Classified	Count	8	1	9
		% within Sex	8.0%	7.7%	8.0%
Ped Parent at Risk	Count	1	1	2	
	% within Sex	1.0%	7.7%	1.8%	
Ped Other-Undet	Count		1	1	
	% within Sex		7.7%	.9%	
Total	Count	100	13	113	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	71	73
		% within Adult-Ped	66.7%	64.5%	64.6%
	African American	Count	1	21	22
		% within Adult-Ped	33.3%	19.1%	19.5%
	Hispanic	Count		18	18
		% within Adult-Ped		16.4%	15.9%
Total	Count	3	110	113	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	99	100
		% within Adult-Ped	33.3%	90.0%	88.5%
	Female	Count	2	11	13
		% within Adult-Ped	66.7%	10.0%	11.5%
Total		Count	3	110	113
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

HSDA = Abilene

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	1	3
		% within Sex	1.4%	2.6%	1.7%
	2-4	Count		1	1
		% within Sex		2.6%	.6%
	5-12	Count	1	1	2
		% within Sex	.7%	2.6%	1.1%
	13-19	Count		3	3
		% within Sex		7.9%	1.7%
	20-24	Count	7	2	9
		% within Sex	5.0%	5.3%	5.0%
	25-29	Count	27	6	33
		% within Sex	19.1%	15.8%	18.4%
	30-39	Count	63	13	76
		% within Sex	44.7%	34.2%	42.5%
	40-49	Count	33	8	41
		% within Sex	23.4%	21.1%	22.9%
	50-59	Count	8	3	11
		% within Sex	5.7%	7.9%	6.1%
Total		Count	141	38	179
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count		1	1
		% within Sex		2.6%	.6%
	5-12	Count	2	1	3
		% within Sex	1.4%	2.6%	1.7%
	13-19	Count		2	2
		% within Sex		5.3%	1.1%
	20-24	Count	1	2	3
		% within Sex	.7%	5.3%	1.7%
	25-29	Count	7	6	13
		% within Sex	5.0%	15.8%	7.3%
	30-39	Count	55	6	61
		% within Sex	39.0%	15.8%	34.1%
	40-49	Count	53	15	68
		% within Sex	37.6%	39.5%	38.0%
	50-59	Count	22	4	26
		% within Sex	15.6%	10.5%	14.5%
	60-69	Count	1	1	2
		% within Sex	.7%	2.6%	1.1%
Total		Count	141	38	179
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	99	19	118
		% within Sex	70.2%	50.0%	65.9%
	African American	Count	24	14	38
		% within Sex	17.0%	36.8%	21.2%
	Hispanic	Count	18	5	23
		% within Sex	12.8%	13.2%	12.8%
Total	Count	141	38	179	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Abilene

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	79		79
		% within Sex	56.0%		44.1%
	IDU	Count	24	11	35
		% within Sex	17.0%	28.9%	19.6%
	M-M & IDU	Count	17		17
		% within Sex	12.1%		9.5%
	Heterosexual Contact	Count	5	14	19
		% within Sex	3.5%	36.8%	10.6%
	Transfusion	Count	1	1	2
		% within Sex	.7%	2.6%	1.1%
	Not Classified	Count	12	9	21
		% within Sex	8.5%	23.7%	11.7%
Total		Count	141	38	179
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Abilene

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	4	114	118
		% within Adult-Ped	66.7%	65.9%	65.9%
	African American	Count	1	37	38
		% within Adult-Ped	16.7%	21.4%	21.2%
	Hispanic	Count	1	22	23
		% within Adult-Ped	16.7%	12.7%	12.8%
Total		Count	6	173	179
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	138	141
		% within Adult-Ped	50.0%	79.8%	78.8%
	Female	Count	3	35	38
		% within Adult-Ped	50.0%	20.2%	21.2%
Total		Count	6	173	179
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Abilene